## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

## <u>Listing of Claims:</u>

1. (currently amended) An adaptive cruise control apparatus for a vehicle, comprising

means for sensing a speed of the vehicle,

means for detecting  $\alpha$  an inter-vehicle distance between the vehicle and a preceding vehicle,

means for accelerating/decelerating the first-mentioned vehicle, and means for detecting a traveling environment,

in which

when the distance between the first mentioned vehicle and the preceding vehicle is greater than a set value, a preset cruise speed is controlled to be maintained whereas

when the distance between the first mentioned vehicle and the preceding vehicle is less than the set value, the distance is controlled to be maintained at a predetermined value,

# a control means for performing an ACC in which

the first-mentioned vehicle is controlled so as to maintain a present cruise speed when the inter-vehicle distance is greater than a set value, and

the first-mentioned vehicle is controlled so as to maintain the inter-vehicle distance at a predetermined value when the inter-vehicle distance is less than the set value,

## wherein

said control means cancels said ACC being cancelled when a driver performs a predetermined operation while under the ACC is performed, and

wherein a cruise speed is selected depending upon a traveling environment to be encountered when the driver stops the predetermined operation and the ACC is automatically resumed under the selected cruise speed

said control means resumes said ACC with a new cruise speed which is set depending upon a traveling environment when a driver stops said predetermined operation.

- 2. (original) An adaptive cruise control apparatus for a vehicle comprising means for sensing a speed of the vehicle, means for detecting a the vehicle and a preceding vehicle, means for between accelerating/decelerating the first-mentioned vehicle, and means for detecting a traveling environment, in which when the distance between the first-mentioned vehicle and the preceding vehicle is greater than the set value, a preset cruise speed is maintained whereas when the distance between the first-mentioned vehicle and the preceding vehicle is less than the set value, the distance is maintained at a predetermined value and a range of vehicle speeds to be controlled is limited, and in which, responsive to the speed of the first-mentioned vehicle increasing to come into the range of vehicle speeds immediately after the ACC is canceled due to the speed of the first-mentioned vehicle being decreased by deceleration of the preceding vehicle to thereby come out of the range of vehicle speeds during control of the distance between the first-mentioned vehicle and the preceding vehicle, a cruise speed is selected depending upon a traveling environment to be encountered at that time to automatically resume the ACC.
- 3. (previously presented) An adaptive cruise control apparatus for a vehicle comprising means for sensing a speed of the vehicle, means for detecting a distance between the vehicle and a preceding vehicle, means for

accelerating/decelerating the first-mentioned vehicle, and means for detecting a traveling environment, in which when the distance between the first-mentioned vehicle and the preceding vehicle is greater than the set value, a preset cruise speed is controlled to be maintained whereas when the distance between the first-mentioned vehicle and the preceding vehicle is less than the set value, the distance is controlled to be maintained at a predetermined value and a range of vehicle speeds to be controlled is limited, said ACC being cancelled when a driver performs a predetermined operation under the ACC,

wherein a cruise speed is selected depending upon a traveling environment to be encountered when the driver stops the predetermined operation and the ACC is automatically resumed under the selected cruise speed, and

wherein when the speed of the first-mentioned vehicle increases to come into the range of vehicle speeds after the ACC is canceled due to the speed of the first-mentioned vehicle being decreased by deceleration of the preceding vehicle to thereby come out of the range of vehicle speeds under control of the distance between the first-mentioned vehicle and the preceding vehicle, a cruise speed is selected depending upon a traveling environment to be encountered at that time to automatically resume the ACC under the selected cruise speed.

## 4. (cancelled)

- 5. (original) An ACC system for a vehicle in which, responsive to a driver of the vehicle stopping the foot-brake operation after the driver decreases its speed to 10-40 km/h by performing a foot-brake operation during traveling at a speed of 60-100 km/h in the ACC, the ACC is maintained in a deceleration of 0-0.1 G and cancelled in a deceleration of 0.3 G.
- 6. (original) The ACC system according to claim 5, wherein the set cruise speed in the ACC is changed to a value other than that set before the foot brake operation was performed.

- 7. (currently amended) An ACC system for a vehicle in which said ACC is cancelled when a driver performs a predetermined operation under the ACC, wherein even when the driver performs a foot brake operation during traveling at a speed of 0-20 km/h in ACC, the ACC is maintained or automatically resumed.
- 8. (original) The ACC system according to claim 7, wherein the set cruise speed in the ACC is changed to a value other than that set before the foot brake operation was performed.
- 9. (original) An ACC system for a vehicle, wherein, responsive to the driver stopping an accelerator operation after increasing the vehicle speed to 125 km/h by performing the accelerator operation during traveling at a speed of 60-100 km/h, the ACC is maintained or automatically resumed.
- 10. (original) The ACC system according to claim 9, wherein the set cruise speed in the ACC is changed to a value other than that set before the foot brake operation was performed.
- 11. (original) An ACC system for a vehicle in which ACC is maintained or automatically resumed when the driver shifts up and cancelled when the driver shifts down, during traveling at a speed of 60-100 km/h in the ACC.
- 12. (original) An ACC system for a vehicle in which ACC is maintained responsive to a driver turning a steering wheel through 0-10 degrees from a neutral position and cancelled responsive to the driver turning the steering wheel through 45 degrees or more.
- 13. (original) An ACC system for a vehicle in which when the driver performs a turn-signal operation in ACC, the ACC is maintained at a vehicle speed of 80-100 km/h and cancelled at a vehicle speed of 20-40 km/h.

14. (currently amended) An adaptive cruise control (ACC) system for a vehicle, the system having an ACC function and comprising:

means for sensing a speed of the vehicle;

means for detecting a distance between the vehicle and a preceding vehicle;

means for detecting a traveling environment,

wherein, the apparatus cancels said ACC function when a driver performs a predetermined operation while the ACC function is operated, and

the apparatus resumes the ACC function with selecting a new cruise speed, as a speed limit of the ACC function, depending upon a traveling environment.

responsive to the ACC being canceled, a cruise speed is selected depending upon a traveling environment to be encountered thereafter and the ACC in which the cruise speed is an upper limit is automatically resumed.

- 15. (original) The ACC system according to claim 14, wherein a range of vehicle speeds in which a desired cruise speed is settable is provided, and wherein, responsive to the speed of the first-mentioned vehicle obtained by said vehicle speed detecting means coming into the range of vehicle speeds after coming out of the range of vehicle speeds to thereby cancel the ACC, a cruise speed is selected based on a traveling environment to be encountered at that time; and the ACC automatically in which the cruise speed is an upper limit is resumed.
- 16. (original) The ACC system according to claim 15, wherein the range of vehicle speeds overlaps with a second range of vehicle speeds defined between a first value to which the speed of the first-mentioned vehicle obtained by said vehicle speed detecting means comes out of the first-mentioned range of vehicle speeds and a second value to which the speed of said first-mentioned

Application No. 10/083,405 Reply dated June 1, 2004 Reply to Office Action of December 2, 2003

vehicle obtained by said vehicle speed detecting means comes into the firstmentioned range of vehicle speeds.

17. (original) The ACC system according to claim 14, wherein the traveling environment detecting means comprises at least one of:

a plurality of switches one of which is to be selected by the driver; means based on a vehicle speed;

means based on map information for car navigation (including GPS information);

means based on information such as road traffic information or automatic toll reception information received by the vehicle with the aid of radiowave or optical means from an infrastructure;

means based on a position of a gear;

a wiper actuated switch; and

means based on a processed image signal from a camera.

- 18. (original) The ACC system according to claim 14, wherein the ACC is cancelled by at least one of a brake operation, an accelerator operation, a shift-up/down operation, a steering operation, and a turn-signal operation.
- 19. (original) The ACC system according to claim 14, wherein the ACC comprises inter-vehicle distance control and/or constant-speed travel control.
- 20. (previously presented) An adaptive cruise control apparatus according to Claim 1, wherein said predetermined operation by said driver does not include an operation of a cancel switch or a main switch.

Application No. 10/083,405 Reply dated June 1, 2004 Reply to Office Action of December 2, 2003

21. (previously presented) An adaptive cruise control apparatus according to Claim 3, wherein said predetermined operation by said driver does not include an operation of a cancel switch or a main switch.